
Initial & Interpolated profiles by month for : 1980
Arrival_Heights −78.6N 168.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 1981
Arrival_Heights −78.6N 168.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 1982
Arrival_Heights −78.6N 168.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 1983
Arrival_Heights −78.6N 168.E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 1984
Arrival_Heights −78.6N 168.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 1985
Arrival_Heights −78.6N 168.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 1986
Arrival_Heights −78.6N 168.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 1988
Arrival_Heights −78.6N 168.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 1989
Arrival_Heights −78.6N 168.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 1990
Arrival_Heights −78.6N 168.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 1991
Arrival_Heights −78.6N 168.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 1992
Arrival_Heights −78.6N 168.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 1993
Arrival_Heights −78.6N 168.E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 1994
Arrival_Heights −78.6N 168.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 1
Dec
Nov
Oct
Sep
Aug


Initial & Interpolated profiles by month for : 1996
Arrival_Heights −78.6N 168.E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 1997
Arrival_Heights −78.6N 168.E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
120
100
80
60
40
20
0
Altitude
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 1998
Arrival_Heights −78.6N 168.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 1999
Arrival_Heights −78.6N 168.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 2000
Arrival_Heights −78.6N 168.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 2001
Arrival_Heights −78.6N 168.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 2002
Arrival_Heights −78.6N 168.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 2003
Arrival_Heights −78.6N 168.E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 2004
Arrival_Heights −78.6N 168.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 2006
Arrival_Heights −78.6N 168.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 2007
Arrival_Heights −78.6N 168.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 2008
Arrival_Heights −78.6N 168.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 2009
Arrival_Heights −78.6N 168.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 2010
Arrival_Heights −78.6N 168.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 2011
Arrival_Heights −78.6N 168.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 2012
Arrival_Heights −78.6N 168.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 2013
Arrival_Heights −78.6N 168.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 2014
Arrival_Heights −78.6N 168.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 2016
Arrival_Heights −78.6N 168.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 2017
Arrival_Heights −78.6N 168.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 2018
Arrival_Heights −78.6N 168.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 2019
Arrival_Heights −78.6N 168.E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
120
100
80
60
40
20
0
Altitude
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 2020
Arrival_Heights −78.6N 168.E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Station Grid
REFMOD Grid
Min, Max, Mean of : 492 profiles.
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Std. Deviation
Percent Deviation
Station Grid
REFMOD Grid
Altitude
Altitude
120
100
80
60
40
20
0
10^{-13}
10^{-12}
10^{-11}
10^{-10}
SD
40
60
80
100
120
%


49 Layer Covariance for : HCFC22 [VMR^2] [x10^+21]
0.000
0.647
1.295
1.942
2.590
3.237
3.884
4.532
150
100
50
0
Altitude [km]
0
50
100
150
Altitude [km]


49 Layer Covariance for : HCFC22 [VMR^2] [x10^+21]
Y Altitude
X Altitude
0
50
100
150
1
2
3
4
5


48 Level Covariance for : HCFC22 [VMR^2] [x10^+21]
0.000
0.648
1.295
1.942
2.590
3.237
3.884
4.532
150
100
50
0
Altitude [km]
0
50
100
150
Altitude [km]


48 Level Covariance for : HCFC22 [VMR^2] [x10^+21]
150
100
50
0
1
2
3
4
5
Y Altitude
0
50
100
150
X Altitude