
Initial & Interpolated profiles by month for : 1980
Beltsville 38.8N 282.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 1981
Beltsville 38.8N 282.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 1982
Beltsville 38.8N 282.E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
120
100
80
60
40
20
0
Altitude
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 1983
Beltsville 38.8N 282.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 1984
Beltsville 38.8N 282.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 1985
Beltsville 38.8N 282.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 1986
Beltsville 38.8N 282.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 1987
Beltsville 38.8N 282.E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
120
100
80
60
40
20
0
Altitude
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 1988
Beltsville 38.8N 282.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 1989
Beltsville 38.8N 282.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 1990
Beltsville 38.8N 282.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 1991
Beltsville 38.8N 282.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 1992
Beltsville 38.8N 282.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 1993
Beltsville 38.8N 282.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 1994
Beltsville 38.8N 282.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 1995
Beltsville 38.8N 282.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 1996
Beltsville 38.8N 282.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 1997
Beltsville 38.8N 282.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 1998
Beltsville 38.8N 282.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 1999
Beltsville 38.8N 282.E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
120
100
80
60
40
20
0
Altitude
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 2000
Beltsville 38.8N 282.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 2001
Beltsville 38.8N 282.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 2002
Beltsville 38.8N 282.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 2003
Beltsville 38.8N 282.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 2004
Beltsville 38.8N 282.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 2005
Beltsville 38.8N 282.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 2006
Beltsville 38.8N 282.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 2007
Beltsville 38.8N 282.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 2008
Beltsville 38.8N 282.E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
120
100
80
60
40
20
0
Altitude
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 2009
Beltsville 38.8N 282.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 2010
Beltsville 38.8N 282.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 2011
Beltsville 38.8N 282.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 2012
Beltsville 38.8N 282.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 2013
Beltsville 38.8N 282.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 2014
Beltsville 38.8N 282.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 2015
Beltsville 38.8N 282.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 2016
Beltsville 38.8N 282.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 2017
Beltsville 38.8N 282.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 2018
Beltsville 38.8N 282.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 2019
Beltsville 38.8N 282.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 2020
Beltsville 38.8N 282.E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
120
100
80
60
40
20
0
Altitude
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Station Grid
REFMOD Grid
Min, Max, Mean of : 492 profiles.
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
10^{-8}
Mixing Ratio


Std. Deviation
Percent Deviation
Station Grid
REFMOD Grid
Altitude
Altitude
120
100
80
60
40
20
0
10^{-22} 10^{-20} 10^{-18} 10^{-16} 10^{-14} 10^{-12} 10^{-10}
SD
0
20
40
60
80
%


49 Layer Covariance for : NO3 [VMR^2] [x10^+22]
−0.046
0.526
1.099
1.671
2.243
2.816
3.388
3.961
150
100
50
0
Altitude [km]
0
50
100
150
Altitude [km]


49 Layer Covariance for : NO3 [VMR^2] [x10^+22]
0
1
2
3
4
5
Y Altitude
0
50
100
150
0
50
100
150
X Altitude


48 Level Covariance for : NO3 [VMR^2] [x10^+22]
−0.053
0.483
1.019
1.554
2.090
2.626
3.161
3.697
150
100
50
0
Altitude [km]
0
50
100
150
Altitude [km]


48 Level Covariance for : NO3 [VMR^2] [x10^+22]
0
1
2
3
4
Y Altitude
0
50
100
150
0
50
100
150
X Altitude