
Initial & Interpolated profiles by month for : 1980
Karlsruhe 48.3N 7.50E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 1981
Karlsruhe 48.3N 7.50E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 1982
Karlsruhe 48.3N 7.50E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
120
100
80
60
40
20
0
Altitude
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 1983
Karlsruhe 48.3N 7.50E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 1984
Karlsruhe 48.3N 7.50E
Dec
Nov
Oct
120
100
80
60
40
20
0
Altitude
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 1985
Karlsruhe 48.3N 7.50E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 1986
Karlsruhe 48.3N 7.50E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 1987
Karlsruhe 48.3N 7.50E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 1988
Karlsruhe 48.3N 7.50E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 1989
Karlsruhe 48.3N 7.50E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
120
100
80
60
40
20
0
Altitude
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 1990
Karlsruhe 48.3N 7.50E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
120
100
80
60
40
20
0
Altitude
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 1991
Karlsruhe 48.3N 7.50E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
120
100
80
60
40
20
0
Altitude
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 1993
Karlsruhe 48.3N 7.50E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 1994
Karlsruhe 48.3N 7.50E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 1995
Karlsruhe 48.3N 7.50E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 1996
Karlsruhe 48.3N 7.50E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 1997
Karlsruhe 48.3N 7.50E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
120
100
80
60
40
20
0
Altitude
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 1998
Karlsruhe 48.3N 7.50E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 1999
Karlsruhe 48.3N 7.50E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 2000
Karlsruhe 48.3N 7.50E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 2001
Karlsruhe 48.3N 7.50E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 200
Dec
Nov
Oct


Initial & Interpolated profiles by month for : 2003
Karlsruhe 48.3N 7.50E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 2004
Karlsruhe 48.3N 7.50E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 2005
Karlsruhe 48.3N 7.50E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 2006
Karlsruhe 48.3N 7.50E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 2007
Karlsruhe 48.3N 7.50E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 2008
Karlsruhe 48.3N 7.50E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 2009
Karlsruhe 48.3N 7.50E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
120
100
80
60
40
20
0
Altitude
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 2010
Karlsruhe 48.3N 7.50E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
120
100
80
60
40
20
0
Altitude
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 2011
Karlsruhe 48.3N 7.50E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 2012
Karlsruhe 48.3N 7.50E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio

Initial & Interpolated profiles by month for : 2013

Karls




Initial & Interpolated profiles by month for : 2014
Karlsruhe 48.3N 7.50E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 2015
Karlsruhe 48.3N 7.50E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 2016
Karlsruhe 48.3N 7.50E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 2017
Karlsruhe 48.3N 7.50E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 2018
Karlsruhe 48.3N 7.50E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 2019
Karlsruhe 48.3N 7.50E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 2020
Karlsruhe 48.3N 7.50E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Station Grid
REFMOD Grid
Min, Max, Mean of : 492 profiles.
120
100
80
60
40
20
0
Altitude
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Std. Deviation
Percent Deviation
Station Grid
REFMOD Grid
Altitude
Altitude
SD
%
120
100
80
60
40
20
0
10^{-13}
10^{-12}
10^{-11}
10^{-10}
40
60
80
100
120


49 Layer Covariance for : HCFC22 [VMR^2] [x10^+21]
0.000
0.647
1.294
1.941
2.588
3.235
3.882
4.529
150
100
50
0
Altitude [km]
0
50
100
150
Altitude [km]




48 Level Covariance for : HCFC22 [VMR^2] [x10^+21]
150
100
50
0
Y Altitude
0
50
100
150
X Altitude
1
2
3
4
5