
Initial & Interpolated profiles by month for : 1980
Moshiri 44.5N 142.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 1981
Moshiri 44.5N 142.E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
120
100
80
60
40
20
0
Altitude
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 1982
Moshiri 44.5N 142.E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
120
100
80
60
40
20
0
Altitude
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 1983
Moshiri 44.5N 142.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 1984
Moshiri 44.5N 142.E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
120
100
80
60
40
20
0
Altitude
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 1985
Moshiri 44.5N 142.E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
120
100
80
60
40
20
0
Altitude
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 1986
Moshiri 44.5N 142.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 1987
Moshiri 44.5N 142.E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
120
100
80
60
40
20
0
Altitude
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 1988
Moshiri 44.5N 142.E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
120
100
80
60
40
20
0
Altitude
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 1989
Moshiri 44.5N 142.E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
120
100
80
60
40
20
0
Altitude
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 1990
Moshiri 44.5N 142.E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
120
100
80
60
40
20
0
Altitude
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 1991
Moshiri 44.5N 142.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 1992
Moshiri 44.5N 142.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 1993
Moshiri 44.5N 142.E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
120
100
80
60
40
20
0
Altitude
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 1994
Moshiri 44.5N 142.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 1995
Moshiri 44.5N 142.E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
120
100
80
60
40
20
0
Altitude
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 1996
Moshiri 44.5N 142.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 1997
Moshiri 44.5N 142.E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
120
100
80
60
40
20
0
Altitude
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 1998
Moshiri 44.5N 142.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 1999
Moshiri 44.5N 142.E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
120
100
80
60
40
20
0
Altitude
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 2000
Moshiri 44.5N 142.E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
120
100
80
60
40
20
0
Altitude
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 2001
Moshiri 44.5N 142.E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
120
100
80
60
40
20
0
Altitude
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 2002
Moshiri 44.5N 142.E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
120
100
80
60
40
20
0
Altitude
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 2003
Moshiri 44.5N 142.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 2004
Moshiri 44.5N 142.E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
120
100
80
60
40
20
0
Altitude
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 2005
Moshiri 44.5N 142.E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
120
100
80
60
40
20
0
Altitude
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 2006
Moshiri 44.5N 142.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 2007
Moshiri 44.5N 142.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 2008
Moshiri 44.5N 142.E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 2009
Moshiri 44.5N 142.E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
120
100
80
60
40
20
0
Altitude
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 2010
Moshiri 44.5N 142.E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
120
100
80
60
40
20
0
Altitude
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 2011
Moshiri 44.5N 142.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 2012
Moshiri 44.5N 142.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 2013
Moshiri 44.5N 142.E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 2014
Moshiri 44.5N 142.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 2015
Moshiri 44.5N 142.E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
120
100
80
60
40
20
0
Altitude
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 2016
Moshiri 44.5N 142.E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
120
100
80
60
40
20
0
Altitude
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 2017
Moshiri 44.5N 142.E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
120
100
80
60
40
20
0
Altitude
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 2018
Moshiri 44.5N 142.E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
120
100
80
60
40
20
0
Altitude
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 2019
Moshiri 44.5N 142.E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
120
100
80
60
40
20
0
Altitude
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 2020
Moshiri 44.5N 142.E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Station Grid
REFMOD Grid
Min, Max, Mean of : 492 profiles.
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Std. Deviation
Percent Deviation
Station Grid
REFMOD Grid
Altitude
Altitude
SD
%
120
100
80
60
40
20
0
10^{-14}
10^{-13}
10^{-12}
10^{-11}
60
80
100
120
140
160
180


48 Layer Covariance for : HCFC142B [VMR^2] [x10^+23]
0.000
1.006
2.012
3.018
4.025
5.031
6.037
7.043
150
100
50
0
Altitude [km]
0
50
100
150
Altitude [km]


48 Layer Covariance for : HCFC142B [VMR^2] [x10^+23]
0
2
4
6
8
Y Altitude
0
50
100
150
0
50
100
150
X Altitude


47 Level Covariance for : HCFC142B [VMR^2] [x10^+23]
0.000
1.006
2.011
3.016
4.021
5.027
6.032
7.037
150
100
50
0
Altitude [km]
0
50
100
150
Altitude [km]


47 Level Covariance for : HCFC142B [VMR^2] [x10^-23]
0
2
4
6
8
Y Altitude
150
100
50
0
0
50
100
150
X Altitude