
Initial & Interpolated profiles by month for : 1980
Rikubetsu 42.6N 145.E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
120
100
80
60
40
20
0
Altitude
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 1981
Rikubetsu 42.6N 145.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 1982
Rikubetsu 42.6N 145.E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 1983
Rikubetsu 42.6N 145.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 1984
Rikubetsu 42.6N 145.E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 1985
Rikubetsu 42.6N 145.E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 1986
Rikubetsu 42.6N 145.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 1987
Rikubetsu 42.6N 145.E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
120
100
80
60
40
20
0
Altitude
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 1988
Rikubetsu 42.6N 145.E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 1989
Rikubetsu 42.6N 145.E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
120
100
80
60
40
20
0
Altitude
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 1990
Rikubetsu 42.6N 145.E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
120
100
80
60
40
20
0
Altitude
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 1991
Rikubetsu 42.6N 145.E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 1992
Rikubetsu 42.6N 145.E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 1993
Rikubetsu 42.6N 145.E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
120
100
80
60
40
20
0
Altitude
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 1994
Rikubetsu 42.6N 145.E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 1995
Rikubetsu 42.6N 145.E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 1996
Rikubetsu 42.6N 145.E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 1997
Rikubetsu 42.6N 145.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 1998
Rikubetsu 42.6N 145.E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
120
100
80
60
40
20
0
Altitude
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 1999
Rikubetsu 42.6N 145.E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 2000
Rikubetsu 42.6N 145.E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 2001
Rikubetsu 42.6N 145.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 2002
Rikubetsu 42.6N 145.E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 2003
Rikubetsu 42.6N 145.E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
120
100
80
60
40
20
0
Altitude
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 2004
Rikubetsu 42.6N 145.E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 2005
Rikubetsu 42.6N 145.E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 2006
Rikubetsu 42.6N 145.E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 2007
Rikubetsu 42.6N 145.E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 2008
Rikubetsu 42.6N 145.E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
120
100
80
60
40
20
0
Altitude
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 2009
Rikubetsu 42.6N 145.E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 2010
Rikubetsu 42.6N 145.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 2011
Rikubetsu 42.6N 145.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 2012
Rikubetsu 42.6N 145.E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 2013
Rikubetsu 42.6N 145.E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 2014
Rikubetsu 42.6N 145.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 2015
Rikubetsu 42.6N 145.E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
120
100
80
60
40
20
0
Altitude
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 2016
Rikubetsu 42.6N 145.E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 2017
Rikubetsu 42.6N 145.E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 2018
Rikubetsu 42.6N 145.E
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan


Initial & Interpolated profiles by month for : 2019
Rikubetsu 42.6N 145.E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Initial & Interpolated profiles by month for : 2020
Rikubetsu 42.6N 145.E
Dec
Nov
Oct
Sep
Aug
Jul
Jun
May
Apr
Mar
Feb
Jan
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
Mixing Ratio


Station Grid
REFMOD Grid
Min, Max, Mean of : 492 profiles.
Altitude
120
100
80
60
40
20
0
10^{-20}
10^{-18}
10^{-16}
10^{-14}
10^{-12}
10^{-10}
10^{-8}
Mixing Ratio


Std. Deviation
Percent Deviation
Station Grid
REFMOD Grid
Altitude
Altitude
120
100
80
60
40
20
0
10^{-22} 10^{-20} 10^{-18} 10^{-16} 10^{-14} 10^{-12} 10^{-10}
SD
0
50
100
150
%


48 Layer Covariance for : NO3 [VMR^2] [x10^+22]
−0.205
0.349
0.903
1.458
2.012
2.566
3.120
3.674
150
100
50
0
Altitude [km]
0
50
100
150
Altitude [km]


48 Layer Covariance for : NO3 [VMR^2] [x10^+22]
0
1
2
3
4
Y Altitude
0
25
50
75
100
125
0
25
50
75
100
125
X Altitude


47 Level Covariance for : NO3 [VMR^2] [x10^+22]
−0.165
0.407
0.979
1.552
2.124
2.697
3.269
3.841
150
100
50
0
Altitude [km]
0
50
100
150
Altitude [km]


47 Level Covariance for : NO3 [VMR^2] [x10^+22]
0
1
2
3
4
Y Altitude
0
50
100
150
X Altitude
0
50
100
150